

## ARTIST BIOGRAPHICAL RECORD

Artist name:

Bridson, Diane M.

City and country of birth:

Lynton, England

Residence:

English

Education:

Bath Academy of Art, Corsham, Wiltshire, 1961-1962

Career:

Senior Scientific Officer, Royal Botanic Gardens, Kew, 1982 – (joined Kew in 1963).

Artwork medium:

India ink

Watercolor

Acrylic

Oil

Bibliography:

- Bridson. "Additional taxa in *Oxyanthus*, *Pavetta* & *Tarenna* (Rubiaceae subfam. Cinchonoideae) from Tanzania," *Kew Bull.* 42 no. 1(1987): 251-261.
- Bridson (with E. Robbrecht). "The African genus *Tricalysia* A. Rich. (Rubiaceae – Coffeae)", 2. "Ephedranthera, a new section of subgenus *Tricalysia*," *Bull. Jard. Bot. Nat. Belg.* 52 no. 3/4: 311-339.
- Bridson. "New *Pavetta* species from Zaire, Rwanda and Burundi," *Bull. Jard. Bot. Nat. Belg.* 50: 197-199.
- Bridson. "A new species of *Tarenna* (Rubiaceae) from Rwanda," *Kew Bull.* 35 no. 2 (1980): 341-342.
- Bridson. "Nichallea, a new tropical African genus in the Rubiaceae," *Kew Bull.* 33 no. 2 (1978): 287-293.
- Bridson (with E. Robbrecht). "Phellocalyx, a new tropical African genus in the Rubiaceae," *Kew Bull.* 35 no. 2 (1980): 315-321.
- Bridson. "The recognition of recircumscription of the African genus *Mutlidentia* (Rubiaceae – Vanguerieae)," *Kew Bull.* 42 no. 3 (1987): 641-654.
- Bridson. "The reinstatement of the African genus *Keetia* (Rubiaceae subfam. Cinchonoideae, tribe Vanguerieae)," *Kew Bull.* 41 no. 4: 965-994.
- Bridson. "A revision of the family Vahliaceae." *Kew Bull.* 30 no. 1 (1975): 163-182.
- Bridson. "A short revision of *Rutidia* (Rubiaceae)," *Kew Bull.* 33 no. 2 (1978): 243-278.

- Bridson. “Studies in African Rubiaceae – Vanguerieae: A new circumscription of *Pyrostria* and a new subgenus. *Canthium* subgen. *Bullockia*,” *Kew Bull.* 42 no. 3 (1987): 611-639.
- Bridson. Studies in *Coffea* and *Psilanthus* (Rubiaceae subfam. Cinchonoideae) for part 2 of *Flora of Tropical East Africa: Rubiaceae.* *Kew Bull.* 36 no. 4 (1982): 817-859.
- Bridson. “Studies in *Ixora* (Rubiaceae subfam. Cinchonoideae) for part 2 of ‘Flora of Tropical East Africa: Rubiaceae,’” *Kew Bull.* 32 no. 3 (1978): 603-607.
- Bridson. “Studies in *Ixora* and *Pavetta* (Rubiaceae subfam. Cinchonoideae) for part 2 of ‘Flora of Tropical East Africa: Rubiaceae,’” *Kew Bull.* 35 no. 4 (1987): 823-882.
- Bridson. “Studies in *Oxyanthus* and *Mitriostigma* (Rubiaceae – Cinchonoideae) for part 2 of ‘Flora of Tropical East Africa: Rubiaceae,’” *Kew Bull.* 34 no. 1 (1979): 113-130.
- Bridson. “Studies in *Pavetta* (Rubiaceae subfam. Cinchonoideae) for part 2 of ‘Flora of Tropical East Africa: Rubiaceae,’” *Kew Bull.* 32 no. 3 (1978): 609-652.
- Bridson. “Studies in *Tarenna sensu lato* (Rubiaceae subfam. Cinchonoideae) for part 2 of ‘Flora of Tropical East Africa: Rubiaceae,’” *Kew Bull.* 34 no. 2 (1979): 377-402.
- Bridson. “Vahliaceae,” *Flora Zambesiaca* 4: 48-53.
- *Flora of Tropical East Africa.*
- Troupin, G. *Flores des plantes ligneuses du Rwanda.* Figs. 196 and 205 (lower part).
- Wrigley, G. “Coffee,” *Longmans, Tropical Agriculture Series.* In press.

Portrait credit:

Copyright of the Trustee of the Royal Botanic Gardens, Kew. ©1986 Reproduced with permission.