BIBLIOGRAPHIA HUNTIANA / Form B — Botanical articles

Author(s) Curtis, William

Title Oenothera purpurea. Purple oenothera

Abbreviated reference Bot. Mag. 10 (118): pl. 352. [1 unnumb. p.]. 1796 [1 Nov.]

Notes New species

T 352 7

OENOTHERA PURPUREA. PURPLE OENOTHERA.

Class and Order.

OCTANDRIA MONOGYNIA,

Generic Character.

Cal. 4-fidus. Petala 4. Capf. cylindrica infera. Sem. nuda.

Specific Character and Synonyms.

OENOTHERA purpurea foliis ovato-lanceolatis glaucescentibus integerrimis, capsulis sessilibus, stigmate atro-purpureo.

The species of Oenothera here figured is the one we mentioned in treating of the rosea, a very ornamental species, introduced to the Royal Garden at Kew, from the western coast of North-America, in 1791.* We have given to it the name of purpurea, it being the only one in our gardens with nurse slowers.

It is distinguished by three principal characters, the glaucous appearance of its foliage, the purple hue of its blossoms, and

the dark colour of its stigma.

It flowers during the months of July and August, and ripens its feeds in September; is an annual of ready growth, and worthy of being more generally introduced to the flowergarden; its feeds should be fown in the spring, with other tender annuals, and the feedlings when of a proper age planted out singly in the open border, where they will acquire the height of two feet, and produce abundance of blossoms which, like those of the rosea, open during the day as well as in the evening.

^{*} Donn. Hort. Cantab. 1796.